

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	1	((ring or sound or rim) with (damp\$3 or mute or absorb\$3) same form\$3 with (adhesive near3 strip or tape) with surface).clm.	US-PGPUB	OR	ON	2005/10/04 11:40
L2	1	((ring or sound or rim) with (damp\$3 or mute or absorb\$3) same form\$3 with (adhesive near3 strip or tape)).clm.	US-PGPUB	OR	ON	2005/10/04 11:41
L3	446	((ring or sound or rim) with (damp\$3 or mute or absorb\$3) same form\$3).clm.	US-PGPUB	OR	ON	2005/10/04 11:41
L4	11	(84/400;181/233).ccls.	US-PGPUB	OR	ON	2005/10/04 11:42
L5	1	4 and 3	US-PGPUB	OR	ON	2005/10/04 11:42
S4	12319	(sound or acoustic or noise or audio or echo) with (damp\$3 or dampen\$3 or absorb\$3 or weaken\$3 or cancel\$3 or reduc\$3 or silenc\$3 or decreas\$3 or lessen\$3 or diminish\$3 or lower\$3) same (urethane or foam\$3 or ((soft or flexible) near5 material\$1))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/07/25 16:07
S8	10698	(sound or acoustic or noise or audio or echo) near5 (damp\$3 or dampen\$3 or absorb\$3 or weaken\$3 or cancel\$3 or reduc\$3 or silenc\$3 or decreas\$3 or lessen\$3 or diminish\$3 or lower\$3) same (urethane or foam\$3 or ((soft or flexible) near5 material\$1))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/07/25 16:14
S9	11	((("4998959") or ("5373771") or ("1508024"))).PN.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/07/25 16:42
S10	6024	(sound or acoustic or noise or audio or echo) near5 (damp\$3 or dampen\$3 or absorb\$3 or weaken\$3 or cancel\$3 or reduc\$3 or silenc\$3 or decreas\$3 or lessen\$3 or diminish\$3 or lower\$3) with(urethane or foam\$3 or sponge)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/07/25 16:18
S11	0	pad with musical adj wind adj instrument with acoustic adj qualities	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/07/25 16:19

S12	1	pad with musical adj wind with instruments with acoustic adj qualities	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/07/25 16:19
S13	19950	(channel or incision or flang\$3 or groov\$3 or recess\$3 or scored or scoring or scalpel\$3 or indent\$3 or cutout\$3) near5 (perimeter or circumferenc\$3 or rim or peripher\$2) near6 (inside or inner or internal\$2) with (mount\$3 or plug\$4 or connect\$3 or attach\$5)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/07/26 09:02
S14	105	("181"/\$ or "84"/\$).ccls. and S13	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/07/26 09:08
S15	7356	(channel or incision or groov\$3 or recess\$3 or scored or scoring or scalpel\$3 or indent\$3 or cutout\$3) near5 (perimeter or circumferenc\$3 or rim or peripher\$2 or annul\$3) near6 (inside or inner or internal\$2) with (mount\$3 or plug\$4 or connect\$3 or attach\$5) same (flang\$3 or projection or overhang or protubera\$3 or protrus\$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/07/26 09:14
S16	32	("181"/\$ or "84"/\$).ccls. and S15	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/07/26 09:15
S17	5325	(channel or incision or groov\$3 or recess\$3 or scored or scoring or scalpel\$3 or indent\$3 or cutout\$3) near5 (perimeter or circumferenc\$3 or rim or peripher\$2 or annul\$3) near6 (inside or inner or internal\$2) with (mount\$3 or plug\$4 or connect\$3 or attach\$5 or insert\$3) with (flang\$3 or projection or overhang or protubera\$3 or protrus\$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/07/26 09:18
S18	25	("181"/\$ or "84"/\$).ccls. and S17	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/07/26 11:03

S19	31426	(channel or incision or groov\$3 or recess\$3 or scored or scoring or scalpel\$3 or indent\$3 or cutout\$3) near5 (perimeter or circumferenc\$3 or rim or peripher\$2 or annul\$3) near6 (inside or inner or internal\$2) same (flang\$3 or projection or overhang or protubera\$3 or protrus\$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/07/26 09:25
S20	329	S19 same (mount\$3 or plug\$4 or connect\$3 or attach\$5 or insert\$3 or secur\$3) with (mute or dampen\$3 or absorb\$4 or foam)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/07/26 09:28
S21	35861	(channel or incision or groov\$3 or recess\$3 or scored or scoring or scalpel\$3 or indent\$3 or cutout\$3) near5 (perimeter or circumferenc\$3 or rim or peripher\$2 or annul\$3 or tubular or tube) near6 (inside or inner or internal\$2) same (flang\$3 or projection or overhang or protubera\$3 or protrus\$3 or ridge)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/07/26 10:07
S22	367	S21 same (mount\$3 or plug\$4 or connect\$3 or attach\$5 or insert\$3 or secur\$3) with (mute or dampen\$3 or absorb\$4 or foam)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/07/26 09:31
S23	337	S21 same (mount\$3 or plug\$4 or connect\$3 or attach\$5 or insert\$3 or secur\$3) with (mute or dampen\$3 or absorb\$4 or (sound or acoustic or noise or audio or echo) near5 (weaken\$3 or cancel\$3 or reduc\$3 or silenc\$3 or decreas\$3 or lessen\$3 or diminish\$3 or lower\$3))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/07/26 10:08
S24	31104	("181"/\$ or "84"/207,256).ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/07/26 10:06
S25	128674	(channel or incision or groov\$3 or recess\$3 or scored or scoring or scalpel\$3 or indent\$3 or cutout\$3) near5 (perimeter or circumferenc\$3 or rim or peripher\$2 or annul\$3 or tubular or tube) near6 (inside or inner or internal\$2)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/07/26 10:07

S26	90	S25 same (mount\$3 or plug\$4 or connect\$3 or attach\$5 or insert\$3 or secur\$3 or lock\$3) with (sound or acoustic or noise or audio or echo or music\$2) near\$5 (mute or dampen\$3 or absorb\$4 or weaken\$3 or cancel\$3 or reduc\$3 or silenc\$3 or decreas\$3 or lessen\$3 or diminish\$3 or lower\$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/07/26 10:23
S27	18499	S25 same (mount\$3 or plug\$4 or connect\$3 or attach\$5 or insert\$3 or secur\$3 or lock\$3) with (ridge or flang\$3 or projection or overhang or protubera\$3 or protrus\$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/07/26 10:24
S28	64	S24 and S27	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/07/26 10:31
S29	84	("181"/\$ or "84"/\$).ccls. and S27	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/07/26 11:20
S30	28	sound\$3 with damp\$3 with out\$3 with surf\$3 and inn\$4 with ring\$4 and form\$3	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/10/04 11:34
S31	2	"4998959".pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/07/26 11:32
S32	2	ring near\$5 mute with rim with bell with (sound or music\$2 or audio)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/07/26 11:35
S33	6	mute with rim with bell with (sound or music\$2 or audio)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/07/26 11:36

S34	425	(mute or damp\$5 or absorb\$3) with (rim or bell) with (sound or music\$2 or audio)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/07/26 11:49
S35	64	S34 and (foam or urethane)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/07/26 11:40
S36	6	S35 and (adhesive or taped or tape or taping) with (strip or attach\$4 or wrap\$4) with (outer or surface or outside or ring)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/07/26 11:42
S37	12	S34 and (adhesive or taped or tape or taping) with (strip or attach\$4 or wrap\$4) with (outer or surface or outside or ring)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/07/26 11:44
S38	5	S34 and (adhesive near3 strip or taped or tape or taping) with (outer or surface or outside or ring)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/07/26 11:44
S39	6	S34 and (adhesive near3 strip or taped or tape or taping) with (outer or surface or outside or ring or skin)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/07/26 11:50
S40	80523	(mute or damp\$5 or absorb\$3) with (sound or music\$2 or audio or noise)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/07/26 11:49
S41	966	S40 and (adhesive near3 strip or taped or tape or taping) with (outer or surface or outside or ring or skin)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/07/26 11:50

S42	899	S40 and (adhesive near3 strip or taped or tape or taping) with (outer or surface or outside)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/07/26 11:50
S43	81	S24 and S42	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/07/26 11:55
S44	471	S42 and (urethan or foam or resin)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/07/26 11:56
S45	51	S44 and S24	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/07/26 12:06
S46	2	"20040261602"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/07/26 13:07
S47	18	mute and sound with (damp\$5 or absorb\$3) with foam	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/07/26 13:09